


Plot file version 1 created 03-JUL-2015 17:24:28

NRAO530 R15135A.MSORT.1

Freq = 42.7690 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:51:01 to 00/14:52:58

Plot file version 2 created 03-JUL-2015 17:24:29


NRAO530 R15135A.MSORT.1

Freq = 42.7690 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:51:01 to 00/14:52:58


Plot file version 3 created 03-JUL-2015 17:25:08
Gain amp vs time for R15135A.MSORT.1
SN 1 Lpol IF 2




Plot file version 4 created 03-JUL-2015 17:26:20
SNR vs time for R15135A.MSORT.1
SN 2 Lpol IF 2



Plot file version 5 created 03-JUL-2015 17:26:31
Delay vs time for R15135A.MSORT.1
SN 2 Lpol IF 2




Plot file version 6 created 03-JUL-2015 17:26:44
Rate vs time for R15135A.MSORT.1
SN 2 Lpol IF 2



Plot file version 7 created 03-JUL-2015 17:28:24

NRAO530 R15135A.MSORT.1

Freq = 42.7690 GHz, Bw = 16.000 MH Calibrated with CL # 3 but no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Scalar averaged cross-power spectrum Several baselines displayed
Timerange: 00/14:51:01 to 00/14:52:58