










Plot file version 1 created 19-SEP-2016 13:49:23

3C84 R16111A-SIP.MSORT.1

Freq = 43.0990 GHz, Bw = 128.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg










Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/01:35:00 to 00/02:34:00

Plot file version 2 created 19-SEP-2016 13:49:29

3C84 R16111A-SIP.MSORT.1

Freq = 43.0990 GHz, Bw = 128.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg




Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/01:35:00 to 00/02:34:00

Plot file version 3 created 19-SEP-2016 13:49:35


3C84 R16111A-SIP.MSORT.1

Freq = 43.0990 GHz, Bw = 128.000 MH No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/01:35:00 to 00/02:34:00


Plot file version 4 created 19-SEP-2016 13:53:28
Gain amp vs time for R16111A-SIP.MSORT.1
SN 1 Lpol IF 1




Plot file version 5 created 19-SEP-2016 14:16:38
SNR vs time for R16111A-SIP.MSORT.1
SN 2 Lpol IF 1



Plot file version 6 created 19-SEP-2016 14:16:58
Delay vs time for R16111A-SIP.MSORT.1
SN 2 Lpol IF 1




Plot file version 7 created 19-SEP-2016 14:18:00
Rate vs time for R16111A-SIP.MSORT.1
SN 2 Lpol IF 1



Plot file version 8 created 19-SEP-2016 14:26:45

3C84 R16111A-SIP.MSORT.1

Freq = 43.0990 GHz, Bw = 128.000 MH Calibrated with CL # 3 but no bandpass applied



Lower frame: Micro Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/01:35:00 to 00/02:34:00

Plot file version 9 created 19-SEP-2016 14:27:06

3C84 R16111A-SIP.MSORT.1

Freq = 43.0990 GHz, Bw = 128.000 MH Calibrated with CL # 3 but no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg




Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/01:35:00 to 00/02:34:00

Plot file version 10 created 19-SEP-2016 14:27:27

3C84 R16111A-SIP.MSORT.1

Freq = 43.0990 GHz, Bw = 128.000 MH Calibrated with CL # 3 but no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/01:35:00 to 00/02:34:00