


Plot file version 1 created 03-MAR-2017 11:22:38

NRAO530 R17022A.MSORT.1

Freq = 42.7682 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/22:16:01 to 00/22:17:58

Plot file version 2 created 03-MAR-2017 11:22:38


NRAO530 R17022A.MSORT.1

Freq = 42.7682 GHz, Bw = 16.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:16:01 to 00/22:17:58


Plot file version 3 created 03-MAR-2017 11:23:35
Gain amp vs time for R17022A.MSORT.1
SN 1 Lpol IF 2




Plot file version 4 created 03-MAR-2017 11:35:25

SNR vs time for R17022A.MSORT.1

SN 2 Lpol IF 2




Plot file version 5 created 03-MAR-2017 11:35:46
Delay vs time for R17022A.MSORT.1
SN 2 Lpol IF 2



Plot file version 6 created 03-MAR-2017 11:35:55

Rate vs time for R17022A.MSORT.1


SN 2 Lpol IF 2



Plot file version 7 created 03-MAR-2017 11:36:51

NRAO530 R17022A.MSORT.1

Freq = 42.7682 GHz, Bw = 16.000 MH Calibrated with CL # 3 but no bandpass applied




Lower frame: Micro Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/22:16:01 to 00/22:17:58

Plot file version 8 created 03-MAR-2017 11:36:52

NRAO530 R17022A.MSORT.1

Freq = 42.7682 GHz, Bw = 16.000 MH Calibrated with CL # 3 but no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/22:16:01 to 00/22:17:58