


Plot file version 1 created 23-MAY-2017 16:15:21

BLLAC R17099A.MSORT.1

Freq = 21.5500 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:00:00 to 00/23:05:59

Plot file version 2 created 23-MAY-2017 16:15:23

BLLAC R17099A.MSORT.1

Freq = 21.5500 GHz, Bw = 32.000 MH No calibration applied and no bandpass applied




Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:00:00 to 00/23:05:59


Plot file version 3 created 23-MAY-2017 16:15:58
Gain amp vs time for R17099A.MSORT.1
SN 1 Lpol IF 2




Plot file version 4 created 23-MAY-2017 17:27:01

SNR vs time for R17099A.MSORT.1

SN 3 Lpol IF 2




Plot file version 5 created 23-MAY-2017 17:27:10
Delay vs time for R17099A.MSORT.1
SN 3 Lpol IF 2



Plot file version 6 created 23-MAY-2017 17:27:13

Rate vs time for R17099A.MSORT.1


SN 3 Lpol IF 2



Plot file version 7 created 23-MAY-2017 17:27:57

BLLAC R17099A.MSORT.1

Freq = 21.5500 GHz, Bw = 32.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg


Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:00:00 to 00/23:05:59

Plot file version 8 created 23-MAY-2017 17:28:01

BLLAC R17099A.MSORT.1

Freq = 21.5500 GHz, Bw = 32.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg

Vector averaged cross-power spectrum Several baselines displayed

Timerange: 00/23:00:00 to 00/23:05:59